

2 Year Maintenance Plan

| | |
|------------------------|--|
| April 2024 | Fertilize - Completed Overseed - Completed Aerate - Completed |
| May / June 2024 | Fertilize Again Aerate |
| Aug-Sept 2024 | Aerate Merit Application (imidacloprid) 0.5G Overseed |
| October 2024 | 13-13-13 Fertilizer 9 lbs/1000 (or equivalent for P&K Mix DAP/MAP/12-12-12) Dandelion Knockdown - 2,4-D |

| | |
|----------------------|--|
| March 2025 | Aerate when thawed Nitrogen Application (2lbs UAN / 1000 sq ft) Dandelion Knockdown if needed |
| May 2025 | Nitrogen Application (2lbs UAN / 1000 sq ft) Aerate |
| Aug/Sept 2025 | Aerate Merit Application (imidacloprid) 0.5G Over Seed / Heavy Seed Overseeded with a 3pt tractor mount Brillion type overseeder or PTO driven slot interseeder |
| Oct 2025 | Dandelion Knockdown 2,4-D |

Please prepare two separate bids.

1. All city owned baseball/softball outfields an surrounding areas, including the rec complex and City field on Vine Street.
2. All city owned soccer fields, including behind the High School, Vine Street & Lil' Rams field.

This document is to be used as a suggested guide.

| ACTIVITY AND DETAILS | | | City Field | Field 1/1A | Field 2 | Field 3 | Field 4 | Field 5 | |
|---|---|--|------------|--------------|-------------|-------------|-----------------------|-------------|---------------|
| APRIL | More Details | REI | | | | | | | |
| | Aerate when thawed | Core Aerator | N/A | Aerate | Aerate | Aerate | Aerate | Aerate | |
| | Nitrogen Application (2lbs UAN / 1000 sq ft) | UREA 48-0-0 (IF AMS 2X rate) | N/A | 143 lbs Urea | 88 lbs urea | 40 lbs urea | 92 lbs urea | 77 lbs urea | 209 lbs urea |
| | Over Seed / Heavy Seed | Turf Type Tall Fescue (7 lb/1000) | N/A | 400# | 207.35 | 75# | 200# | 200# | 350.00 |
| | Overseeded with a 3pt tractor mount Brillion type overseeder or PTO driven slot interseeder (Evans) | | | | | | | | |
| | Dandelion Knockdown | 2,4-D Amine (5 oz / 1000 sq ft) | 48 hrs | 2 Gal | 1 Gal | 1/2 Gal | 1 Gal | 3 Gal | |
| Late May | | | | | | | | | |
| | Nitrogen Application (2lbs UAN / 1000 sq ft) | UREA 48-0-0 (IF AMS 2X rate) | N/A | 143 lbs Urea | 88 lbs urea | 40 lbs urea | 92 lbs urea | 77 lbs urea | 209 lbs urea |
| | Aerate | Core Aerator | N/A | Aerate | Aerate | Aerate | Aerate | Aerate | |
| July | | | | | | | | | |
| | Aerate | Core Aerator | N/A | Aerate | Aerate | Aerate | Aerate | Aerate | |
| Aug-Sept | | | | | | | | | |
| | Aerate | Core Aerator | N/A | Aerate | Aerate | Aerate | Aerate | Aerate | |
| | Merit (generic imidacloprid) | White Grub PREVENTION | | 77 | 47.6 | 21.7 | 49.7 | 41.37 | 112 |
| | Over Seed / Heavy Seed | Turf Type Tall Fescue (7 lb/1000) | N/A | 400# | 207.35 | 75# | 200# | 200# | CONSTRUCTION? |
| Overseeded with a 3pt tractor mount Brillion type overseeder or PTO driven slot interseeder (Evans) | | | | | | | | | |
| October | | | | | | | | | |
| | Fall Fertilizer 13-13-13 | Spread on surfave | N/A | 278.35 | - | N-P-K Fall | 13-13-13 / 9 lbs 1000 | 266.59 | 121.53 |
| | Dandelion Knockdown | 2,4-D Amine (5 oz / 1000 sq ft) (Trimec is stronger) | 48 hrs | 2 Gal | 1 Gal | 1/2 Gal | 1 Gal | 3 Gal | |

- This will eliminate a need for spring/summer Dandelion knockdown

Product substitution or deviation of rates is acceptable, however must be clearly defined in bid.

Qualified bidders must have an active Iowa Pesticide Applicator License and proof of insurance.

Sealed bids should dropped off or mailed to City Hall – Rec Field Maintenance Plan – 5 N. Vine St, Glenwood, IA 51534. We will not accept emailed bids for this project.

Bids will be accepted until Monday, May 13, 2024 at 4:00 p.m. and be opened on Tuesday, May 14, 2024 at 6:00 p.m., Park Board & City Council will review bids and may award bid during the 7:00 p.m. City Council Meeting the same night at Glenwood City Hall, 5 N. Vine Street.